

LHA TelexTester

Release notes, Version V6.3.9h to V7.1.0

**LHA TelexTester
Lucknow House
33a Claremont Road
Surbiton
Surrey, KT6 4RL
England**

Telephone
Fax

(44) 20 8390 4200
(44) (0) 870 005 2056

Copyright reserved © 1986, 1987 - 2006 LHA

Version 7.1.0

Documentation date 30th April 2006

TABLE OF CONTENTS

1. INTRODUCTION.....	3
2. SYSTEM PARAMETERS.....	3
2.1 Logging.....	3
2.2 Limit access to SeqVars and Date/CCy/Amt.....	3
2.3 Idle users.....	3
3. USER MAINTENANCE.....	3
4. API.....	4
4.1 General.....	4
4.2 API 60.....	4
4.3 API 8.....	4
5. CORRESPONDENTS REPORT.....	4
6. USERS REPORT.....	4
7. TABLE MAINTENANCE.....	4
8. CORRESPONDENT SELECTION.....	4
9. SPECIALIST KEY.....	5
10. CONVERSION.....	5
10.1 6.4.0.....	5
10.2 7.1.0.....	5

1.Introduction

This document details changes in the LHA TelexTester system from Version 6.3.9h to Version 7.1.0.
Previous release notes are in document REL639g.doc.

2.System Parameters

2.1Logging

Log all changes during system parameters individually to log, recorded as log type 1 so that vlog can filter them.

Extra syslog calls to testkey.cbl, switch 1 enables them.

2.2Limit access to SeqVars and Date/CCy/Amt

If set to '2' then two types of access, either

- Sequence variables and currency, no dates
- Prefix variables and amounts plus dates

The two options are decided by the setting in user maintenance of

Disp/Change seq/pfx vars.

2.3Idle users

Add field '**Max days user can be idle**'.

If not set to zero Users will be suspended if they do not access the system within this time.

3.User Maintenance

Add user option 'Stop Change Service Flag'.

If set to Y this will stop changing of out of service flag in correspondent maintenance.

To reset a user who has not accessed recently, open user maintenance, select the user and press F1 to save, this resets last access to today.

4.API

4.1General

If gc-api-parm5 bit 1 is set then do not return the chr error if chr is set to '\.

4.2API 60

Add ttdll interface to api60, provides a dll with calls using stdcall.

4.3API 8

Add 30 second timeout to waiting for keyboard input in case keyboard is touched accidentally.

Add delete of input / output files in if API parm 5 set to 1 and output file older than five minutes and then delete input if it is older than five minutes.

Where parm5 is checked to check for 1 or 3 to support above change (in General).

Add logging, enabled with run time switch 2

5.Correspondents Report

Add field option (Uses Tables of).

Extend the tables output by export3 format. Tables added are:

Day of Month, Month of Year, Ccy, Amt and character.

In correspondent selected is terminated with a '.' remove the '.' and do not match with wild card correspondents just do the single record specified. This allows API60 to select a single correspondent for the report.

Add DOW table to export3 format.

6.Users Report

'Last access' displayed in user report.

Status in user report can be active or idle if not signed on since cutoff time.

7.Table Maintenance

Add options to amount type 1 and currency tables to prompt for F8 generate random variables.

8.Correspondent Selection

Add list option to api10 for selection of correspondents.

Release notes, V7.1.0, Dated 30th April 2006

9.Specialist Key

New specialist key RA51. The RA5 will divide the amount total by 2 'digit 4' times.

Key requires that 'Significant decimals' is set. The '5' addition can be input as branch code or added to the client authentication code.

10.Conversion

10.16.4.0

jday fields in the VGRID files Where the special values, 7777, 8888, 9997, 9998, 9999 are used these are altered to 9910, 9920, 9997, 9998, 9999. This allows more dates to be used. The new grid file is called vgrid7.ism.

10.27.1.0

Sets the new field in user (Last sign on date) to current date